



.051


SCREW # 12786/15718/15720
STEEL (ZINC PLATED)





5/16-24 UNF - 2B




CONNECTOR #B2A
ALUMINUM (TIN PLATED)



1/2



BUSS #14257
COPPER (TIN SOLDERABLE)



PARTS MARKED

- B2
- IHI LOGO
- CSA LOGO
- UL REGOGNITION LOGO
- 2-14CU7
- 2-8AL7

NOT FOR USE WHERE FAILURE CREATES A HAZARD TO HUMAN HEALTH OR SAFETY. ALL PRODUCTS ARE SUBJECT TO THIS FULL DISCLAIMER: <http://www.ihiconnectors.com/disclaimer.html>

FOR FURTHER INFORMATION ON THE PROPER USE OF THIS PRODUCT IN SPECIFIC APPLICATIONS SEE http://www.ihiconnectors.com/High_Amp_Wide_Trace_PCB_Wire_Connection.html
<http://www.ihiconnectors.com/Technical-Data-Installation.htm>
https://lugsdirect.com/PDF_Documents/5-16-SLOTTEDSCREW-BIT-RECOMMENDED-SPECS-IHICONNECTORS.pdf

<small>THIS DRAWING AND DESIGN ARE THE PROPERTY OF INTERNATIONAL HYDRAULICS, INC., CLEVELAND, OHIO, AND MAY NOT BE DUPLICATED, USED FOR THE BASIS OF DESIGN OR MANUFACTURE WITHOUT THE WRITTEN PERMISSION OF INTERNATIONAL HYDRAULICS, INC., CLEVELAND, OHIO.</small>					INTERNATIONAL HYDRAULICS, INC.				
GENERAL TOLERANCES ±.015 (±0,038mm)					TITLE: Connector + Buss for PCB Mount ASSEMBLED CONNECTOR				
MATERIAL: SEE ABOVE		SIZE:	DRAWN BY: TDS	DWG NO.: B2A-PCB (SALES)	REV:				
FINISH:		DATE: 1215/08		THIS IS A CAD DRAWING, DO NOT MANUALLY REVISE					